


<p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG & NEUBERG IMPORTERS GROUP INC.</p>	SAFETY DATA SHEET	Page : 1 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation : Bronze Powder
Product code : 14 (Fine Rich Gold)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category : Industrial uses, Professional use

1.3. Details of the supplier of the safety data sheet

Company : Distributed by:
Gold Leaf and Metallic Powders

6001 Santa Monica Boulevard
Los Angeles, CA 90038 USA
Telephone (800) 569-5323
E-mail: info@glandmp.com
Website: www.GLandMP.com

1.4. Emergency telephone number

Emergency telephone : +32 (0)475 38 36 83 (This telephone number is available 24 hours per day, 7 days per week.)

IRELAND (REPUBLIC OF)
National Poisons Information Centre
Beaumont Hospital +353 18 37 99 64/+353 1 809 21 66
UNITED KINGDOM
National Poisons Information Service
(Newcastle Centre) 0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)
Regional Drugs and Therapeutics Centre,
Wolfson Unit

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EU) 1272/2008

CLP-Classification : The product is classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

Aquatic Acute 1 H400

Aquatic Chronic 1 H410

Full text of H-phrases: see section 16


2.1.2. Classification according to EU Directives 67/548/EEC or 1999/45/EC

Classification : This mixture is classified as hazardous according to 1999/45/EC.
N; R50/53

Full text of R-phrases: see section 16

2.2. Label elements

2.2.1. Labelling according to Regulation (EU) 1272/2008

GOLD LEAF AND METALLIC POWDERS <small>In The Family Of</small>  NEUBERG <small>IMPORTERS GROUP INC.</small>	SAFETY DATA SHEET	Page : 2 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

Hazard pictograms :



GHS09

Signal word :

Warning

Hazard statements :

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements :

P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents/ container to an approved waste disposal plant.

2.2.2. Labelling according to Directives (67/548 - 1999/45)

Not relevant

2.3. Other hazards

Other hazards :

PBT/vPvB data

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Substance name	Product identifier	%	Classification according to Directive 67/548/EEC
copper	(CAS No.) 7440-50-8 (EC No) 231-159-6 (REACH-no) 01-2119480154-42-XXXX	70 - 90	N; R50 R53
Zinc powder - zinc dust (stabilized)	(CAS No.) 7440-66-6 (EC No) 231-175-3 (EC Index) 030-002-00-7 (REACH-no) 01-2119467174-37-XXXX	10 - 30	N; R50/53

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
copper	(CAS No.) 7440-50-8 (EC No) 231-159-6 (REACH-no) 01-2119480154-42-XXXX	70 - 90	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Zinc powder - zinc dust (stabilized)	(CAS No.) 7440-66-6 (EC No) 231-175-3 (EC Index) 030-002-00-7 (REACH-no) 01-2119467174-37-XXXX	10 - 30	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation :

Provide fresh air.

When in doubt or if symptoms are observed, get medical advice.

Skin contact :

No hazards which require special first aid measures.



Eye contact :

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If symptoms persist, call a physician.

In case of ingestion :

When in doubt or if symptoms are observed, get medical advice.

 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG & NEUBERG INDUSTRIAL GROUP INC.</p>	SAFETY DATA SHEET	Page : 3 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

Additional advice : Treat symptomatically.
See also section 8
First aider: Pay attention to self-protection!
When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : Repeated or prolonged exposure: (dust) : May cause respiratory impairment and lung damage.

Skin contact : No adverse effects are expected.

Eye contact : Dust contact with the eyes can lead to mechanical irritation.

Ingestion : May be irritating.

Other adverse effects : none.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam, ABC-powder, Carbon dioxide, Dry sand

Extinguishing media which must not be used : Water
for safety reasons:

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non-flammable.

Specific hazards : Hazardous decomposition products
metal oxides
Do not allow run-off from fire-fighting to enter drains or water courses.
Dispose according to legislation.

5.3. Advice for firefighters

Advice for firefighters : Special protective equipment for firefighters.
In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Evacuate area.
Prevent unauthorised persons entering the zone.
Provide adequate ventilation.
Use personal protective equipment as required.
Personal protection equipment: see section 8
Avoid generation of dust.



For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place.
Personal protection equipment: see section 8.

6.2. Environmental precautions

Environmental precautions : Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so.
Dam up.
Take up mechanically.
Do not rinse down with water. /
Water (with cleaning agent)
Dispose according to legislation.

 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG NEUHÜTTEN PORTERS GROUP INC.</p>	SAFETY DATA SHEET	Page : 4 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Handling : Provide adequate ventilation.
Use personal protective equipment as required.
Avoid contact with skin, eyes and clothes.
Personal protection equipment: see section 8
Avoid generation of dust.
Take any precaution to avoid mixing with incompatible materials.
See also section 10
Do not allow to enter into surface water or drains.
- Advices on general occupational hygiene : Keep good industrial hygiene.
When using do not eat, drink or smoke.
Wash hands before breaks and immediately after using the product.
Take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Do not store near or with any of the incompatible materials listed in section 10.
Protect against water. / Humidity
- Packaging materials : Keep/Store only in original container.

7.3. Specific end use(s)


No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values :


copper (7440-50-8)		
Austria	MAK (mg/m ³)	1 mg/m ³ (inhalable fraction) 0,1 mg/m ³ (respirable fraction, smoke)
Austria	MAK Short time value (mg/m ³)	4 mg/m ³ (inhalable fraction) 0,4 mg/m ³ (respirable fraction, smoke)
Belgium	Limit value (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m ³ (metal vapor)
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust)
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	2 mg/m ³ (dust and fumes)
France	VLE (mg/m ³)	2 mg/m ³ (dust)
France	VME (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust)
Greece	OEL TWA (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust)
Greece	OEL STEL (mg/m ³)	2 mg/m ³ (dust)
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	0,2 mg/m ³ (fume)

GOLD LEAF AND METALLIC POWDERS <small>In The Family Of</small>  NEUBERG <small>MINERALS GROUP INC.</small>	SAFETY DATA SHEET	Page : 5 / 11
		Revision nr : 3
	Bronze Powder	Issue date : 09/03/2015
		Supersedes : 25/06/2013

copper (7440-50-8)		
Latvia	OEL TWA (mg/m ³)	0,5 mg/m ³
Spain	VLA-ED (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
Switzerland	VLE (mg/m ³)	0,2 mg/m ³ (inhalable)
Switzerland	VME (mg/m ³)	0,1 mg/m ³ (inhalable)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,1 mg/m ³ (inhalable fraction)
United Kingdom	WEL TWA (mg/m ³)	1 mg/m ³ (dust and mists) 0,2 mg/m ³ (fume)
United Kingdom	WEL STEL (mg/m ³)	0,6 mg/m ³ (calculated-fume) 2 mg/m ³ (dust and mist)
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³ (dust) 0,1 mg/m ³ (fume)
Denmark	Grænseværdie (langvarig) (mg/m ³)	1,0 mg/m ³ (dust and powder) 0,1 mg/m ³ (fume)
Finland	HTP-arvo (8h) (mg/m ³)	1 mg/m ³ 0,1 mg/m ³ (respirable dust and fume)
Hungary	AK-érték	1 mg/m ³ 0,1 mg/m ³ (fume)
Hungary	CK-érték	4 mg/m ³ 0,4 mg/m ³ (fume)
Ireland	OEL (8 hours ref) (mg/m ³)	0,2 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
Ireland	OEL (15 min ref) (mg/m ³)	0,6 mg/m ³ (calculated-fume) 2 mg/m ³ (dust and mist)
Lithuania	IPRV (mg/m ³)	1 mg/m ³ (inhalable fraction) 0,2 mg/m ³ (respirable fraction)
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	0,1 mg/m ³ (fume) 1 mg/m ³ (dust)
Norway	Gjennomsnittsverdier (Kortidsverdi) (mg/m ³)	0,3 mg/m ³ (fume) 3 mg/m ³ (dust)
Poland	NDS (mg/m ³)	0,2 mg/m ³
Romania	OEL TWA (mg/m ³)	0,50 mg/m ³ (powder)
Romania	OEL STEL (mg/m ³)	0,20 mg/m ³ (fume) 1,50 mg/m ³ (dust)
Slovakia	NPHV (priemerná) (mg/m ³)	1 mg/m ³ (dust) 0,1 mg/m ³ (fume)
Slovakia	NPHV (Hraničná) (mg/m ³)	2 mg/m ³ (dust) 0,2 mg/m ³ (fume)
Sweden	nivågränsvärde (NVG) (mg/m ³)	1 mg/m ³ (total dust) 0,2 mg/m ³ (respirable dust)

Zinc powder - zinc dust (stabilized) (7440-66-6)		
Switzerland	VLE (mg/m ³)	0,4 mg/m ³ (respirable)
Switzerland	VME (mg/m ³)	0,1 mg/m ³ (respirable) 2 mg/m ³ (inhalable)

Recommended monitoring procedures : Concentration measurement in air
Personal air monitoring

<p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG & NEUBERG IMPORTERS GROUP INC.</p>	SAFETY DATA SHEET	Page : 6 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013



8.2. Exposure controls

Personal protection equipment	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. :
		dust
Respiratory protection	:	Use appropriate respiratory protection. Effective dust mask. (EN 149) Respirator with a particle filter (EN 143) : Full face mask (EN 136) Half-face mask (DIN EN 140) Filter type: P1
Hand protection	:	Wear gloves in accordance with EN 388 as a protection against mechanical risks., The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.
Eye protection	:	Wear eye glasses with side protection according to EN 166.
Body protection	:	No special protective equipment required.
Thermal hazard protection	:	Use dedicated equipment. Not required under normal use.
Engineering control measures	:	Use only in area provided with appropriate exhaust ventilation. Organisational measures to prevent/limit releases, dispersion and exposure See also section 7
Environmental exposure controls	:	Do not allow to enter into surface water or drains. Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	:	Powder
Colour	:	gold
Odour	:	odourless
Odour threshold:	:	No data available
Odour threshold:	:	No data available
pH	:	Not applicable
Melting point/freezing point	:	850 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Non-flammable.
Upper/lower flammability or explosive limits	:	No data available
Vapour pressure	:	No data available
Vapour density	:	No data available
Density	:	7,14 - 8,96 g/cm ³ @ 20 °C
Relative density	:	No data available
Water solubility	:	Insoluble
Solubility in different media	:	No data available
Partition coefficient n-octanol/water	:	Not applicable

 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG NEUBERG</p>	SAFETY DATA SHEET	Page : 7 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Viscosity : Not applicable

Explosive properties : Not applicable
The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.

Oxidising properties : Not applicable
The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.

9.2. Other information

Other information : (Apparent) Density : 0.6 - 1.4 g/cm³ @ 20 °C

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : None under normal processing.
Reference to other sections: 10.5

10.2. Chemical stability

Stability : The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Reference to other sections: 10.4

10.4. Conditions to avoid

Conditions to avoid : Remove all sources of ignition.
See also section 7

10.5. Incompatible materials

Incompatible materials : Acids and bases ., Oxidising substances ., Halogens ., Halogenated compounds .

10.6. Hazardous decomposition products

Hazardous decomposition products : metal oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)



Zinc powder - zinc dust (stabilized) (7440-66-6)	
LD50/oral/rat	> 2000 mg/kg
LC50/inhalation/4h/rat	> 5410 mg/m ³

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: Not applicable

Serious eye damage/eye irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: Not applicable

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met.)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met.)

 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG NEUBERGER PORTERS GROUP INC.</p>	SAFETY DATA SHEET	Page : 8 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met.)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met.)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met.)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met.)

Zinc powder - zinc dust (stabilized) (7440-66-6)	
NOEL (oral, rat, 90 days)	31,52 mg/kg bodyweight/day

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met.)

Other information

Symptoms related to the physical, chemical and toxicological characteristics, Reference to other sections: 4.2

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

copper (7440-50-8)	
LC50 fish 1	0,0068 - 0,0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 Daphnia 1	0,03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	< 0,3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 72h algae [mg/l] (1)	0,0426 - 0,0535 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h algae [mg/l] (1)	0,031 - 0,054 mg/l (Species: Pseudokirchneriella subcapitata [static])

Zinc powder - zinc dust (stabilized) (7440-66-6)	
LC50 fish 1	439 µg/l
EC50 Daphnia 1	1833 - 2909 µg/l
EC50 72h algae [mg/l] (1)	0,09 - 0,125 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h algae [mg/l] (1)	0,11 - 0,271 mg/l (Species: Pseudokirchneriella subcapitata [static])
NOEC chronic fish	30 d 169 µg/L
NOEC chronic crustacea	25 - 50 µg/L
Additional information	EC10, algae: 2.5 - 48 µg/L NOEC, Chronic Toxicity to aquatic plants: 60 µg/L EC50, microorganisms: 5.2 mg/l NOEC, aquatic organisms: 10 - 15 µg/L LOEC, aquatic organisms: 10 - 15 µg/L


12.2. Persistence and degradability

Persistence and degradability : Not applicable

12.3. Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient n-octanol/water : Not applicable

<p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of </p>	SAFETY DATA SHEET	Page : 9 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

12.4. Mobility in soil

Mobility : No data available

12.5. Results of PBT and vPvB assessment

PBT/vPvB data : PBT/vPvB data :
Not applicable

12.6. Other adverse effects

Other information :

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product waste: : Do not dispose of together with household waste.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Delivery to an approved waste disposal company.

Further ecological information : Do not allow to enter into surface water or drains.

List of proposed waste codes/waste designations in accordance with EWC : Classified as hazardous waste according to European Union regulations.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1. UN number

UN number : 3077

14.2. UN proper shipping name

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Copper () Zinc ())

Proper shipping name IATA/IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper () Zinc ())

14.3. Transport hazard class(es)

14.3.1. Overland transport

ADR/RID : tunnel restriction code : E

Class(es) : 9 - Miscellaneous dangerous substances and articles

Hazard identification number (Kemler No.) : 90

Classification code : M7

ADR/RID-Labels : 9 - Miscellaneous dangerous substances and articles



14.3.2. Inland waterway transport (ADN)

Class (UN) : 9

14.3.3. Transport by sea


Class or Division : 9 - Miscellaneous dangerous substances and articles

14.3.4. Air transport

Class or Division : 9 - Miscellaneous dangerous substances and articles

14.4. Packing group

Packing group : III

<p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG GROUP INC.</p>	SAFETY DATA SHEET	Page : 10 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

14.5. Environmental hazards

Environmental hazards : N



Other information : Not applicable.

14.6 Special precautions for user

Special precautions for user : Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Restrictions on use : Not applicable

This product contains an ingredient according to the candidate list of Annex XIV of the REACH Regulation 1907/2006/EC.

: none

Authorisations : Not applicable

15.1.2. National regulations

DE : WGK : 2

DE : TA-Luft : Total dust

DE : Technische Regeln für Gefahrstoffe (TRGS) : applicable

FR : Installations classées : 117X

NL : ABM : 4 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (A)

NL : NeR (Nederlandse emissie Richtlijn) : Inorganic substances in powdered form


15.2. Chemical safety assessment

Chemical Safety Assessment : For this substance a chemical safety assessment has been carried out.
Copper
Zinc

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aquatic Acute 1 : Hazardous to the aquatic environment - Aquatic Acute 1
 Aquatic Chronic 1 : Hazardous to the aquatic environment - chronic hazard category 1
 Aquatic Chronic 3 : Hazardous to the aquatic environment - chronic hazard category 3
 H400 : Very toxic to aquatic life.
 H410 : Very toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.
 R50 : Very toxic to aquatic organisms.
 R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 R53 : May cause long-term adverse effects in the aquatic environment.
 N : Dangerous for the environment

<p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG S. NEUBERG INDUSTRIES GROUP INC.</p>	SAFETY DATA SHEET	Page : 11 / 11
	Bronze Powder	Revision nr : 3
		Issue date : 09/03/2015
		Supersedes : 25/06/2013

Key literature references and sources : European Metal Particulate Association (EMPA) for data

Abbreviations and acronyms :

- ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
- ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
- CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
- IATA = International Air Transport Association
- IMDG = International Maritime Dangerous Goods Code
- LEL = Lower Explosive Limit/Lower Explosion Limit
- UEL = Upper Explosive Limit/Upper Explosive Limit
- REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
- TWA = time weighted average
- STEL = Short term exposure limit
- PBT = persistent, bioaccumulating and toxic (PBT).
- vPvB = very persistent and very bioaccumulating
- EWC = European Waste Catalogue
- NA = Not applicable

The contents and format of this SDS are in accordance with EEC Commission Directive 1999/45/EC, 67/548/EC, 1272/2008/EC and EEC Commission Regulation 1907/2006/EC (REACH) Annex II.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.