
 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG NEUBERG POWDERS GROUP INC.</p>	<b>SAFETY DATA SHEET</b>	Page : 1 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name/designation : Aluminium Powder  
 Chemical name : Aluminium  
 EC Index : 013-002-00-1  
 EC No : 231-072-3  
 CAS No. : 7429-90-5  
 REACH registration No. : 01-2119529243-45-0146  
 Product code : 34 (Extra Brilliant Aluminium)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category : Industrial uses .,Professional use .

### 1.3. Details of the supplier of the safety data sheet

Company : Distributed by:  
 Gold Leaf and Metallic Powders

6001 Santa Monica Boulevard  
 Los Angeles, CA 90038 USA  
 Telephone (800) 569-5323  
 E-mail: info@glandmp.com  
 Website: www.GLandMP.com

### 1.4. Emergency telephone number

Emergency telephone : +32 (0)475 38 36 83 (This telephone number is available 24 hours per day, 7 days per week.)

IRELAND (REPUBLIC OF)

National Poisons Information Centre  
 Beaumont Hospital

+353 18 37 99 64/+353 1 809 21 66

UNITED KINGDOM

National Poisons Information Service  
 (Newcastle Centre)  
 Regional Drugs and Therapeutics Centre,  
 Wolfson Unit

0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)

## SECTION 2: Hazards identification


### 2.1. Classification of the substance or mixture

#### 2.1.1. Classification according to Regulation (EU) 1272/2008

CLP-Classification : The product is classified as hazardous in accordance with Regulation (EC) No. 1272/2008.  
 This substance does not emit flammable gases in contact with water according to test N. 5 in Part III, sub-section 33.4.1.4 of the UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria

Flam. Sol. 1 H228

Full text of H-phrases: see section 16

<b>GOLD LEAF AND METALLIC POWDERS</b> <small>In The Family Of</small>  <b>NEUBERG &amp; NEUBERG</b> <small>EXPORTERS GROUP INC.</small>	<b>SAFETY DATA SHEET</b>	Page : 2 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

### 2.1.2. Classification according to EU Directives 67/548/EEC or 1999/45/EC

Classification : This substance is classified as hazardous according to 67/548/EEC.  
F; R11

Full text of R-phrases: see section 16

## 2.2. Label elements

### 2.2.1. Labelling according to Regulation (EU) 1272/2008

Hazard pictograms :



GHS02

Signal word : Danger  
Hazard statements : H228 - Flammable solid.  
Precautionary statements : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 - Ground/bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ ventilating/ lighting/ / equipment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P370+P378 - In case of fire: Use ... to extinguish

### 2.2.2. Labelling according to Directives (67/548 - 1999/45)

Not relevant

## 2.3. Other hazards

Other hazards : PBT/vPvB data  
Not applicable  
Risk of dust explosion.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances


Substance name	Product identifier	%	Classification according to Directive 67/548/EEC
Aluminium powder (stabilised)	(CAS No.) 7429-90-5 (EC No) 231-072-3 (EC Index) 013-001-00-6 (REACH-no) 01-2119529243-45-0146, 01-2119529243-45-XXXX	100	F; R11

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aluminium powder (stabilised)	(CAS No.) 7429-90-5 (EC No) 231-072-3 (EC Index) 013-001-00-6 (REACH-no) 01-2119529243-45-0146, 01-2119529243-45-XXXX	100	Flam. Sol. 1, H228

Full text of R- and H-phrases: see section 16

### 3.2. Mixtures

Not applicable

	<b>SAFETY DATA SHEET</b>	Page : 3 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	: Provide fresh air. When in doubt or if symptoms are observed, get medical advice.
Skin contact	: Wash with plenty of water/.
Eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
In case of ingestion	: Rinse mouth thoroughly with water. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.
Additional advice	: Treat symptomatically. See also section 8 First aider: Pay attention to self-protection! When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: Repeated or prolonged exposure: (dust) : May cause respiratory impairment and lung damage.
Skin contact	: No adverse effects are expected.
Eye contact	: Dust contact with the eyes can lead to mechanical irritation.
Ingestion	: May be irritating.
Other adverse effects	: none.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Special powder against metal fire . Dry sand . Co-ordinate fire-fighting measures to the fire surroundings.
Extinguishing media which must not be used for safety reasons:	: Water Foam Carbon dioxide ABC-powder

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable solid
Specific hazards	: Dust may form explosive mixture in air.



### 5.3. Advice for firefighters

Advice for firefighters	: Special protective equipment for firefighters. In case of fire: Wear self-contained breathing apparatus.
-------------------------	---------------------------------------------------------------------------------------------------------------

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: Evacuate area. Prevent unauthorised persons entering the zone. Provide adequate ventilation. Use personal protective equipment as required. Personal protection equipment: see section 8 Avoid generation of dust.
-----------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG NEUBERG PORTERS GROUP INC.</p>	<b>SAFETY DATA SHEET</b>	Page : 4 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

For emergency responders : Keep away from sources of ignition. - No smoking.  
Use only non-sparking tools.  
Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.  
: Ensure procedures and training for emergency decontamination and disposal are in place.  
Personal protection equipment: see section 8.

### **6.2. Environmental precautions**

Environmental precautions : Do not allow to enter into surface water or drains.

### **6.3. Methods and material for containment and cleaning up**

Methods for cleaning up : Stop leak if safe to do so.  
Dam up.  
Take up mechanically.  
Do not rinse down with water. /  
Water (with cleaning agent)  
Dispose according to legislation.

### **6.4. Reference to other sections**

Personal protection equipment: see section 8  
Disposal: see section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Handling : Provide adequate ventilation.  
Use personal protective equipment as required.  
Avoid contact with skin, eyes and clothes.  
Personal protection equipment: see section 8  
Dust may form explosive mixture in air.  
Avoid generation of dust.  
Remove dust regularly from electrical supply and distribution points.  
Keep away from sources of ignition. - No smoking.  
Ensure that the equipment is adequately grounded.  
Use only non-sparking tools.  
Take any precaution to avoid mixing with incompatible materials.  
Contact with water liberates highly flammable gases. (H2)  
See also section 10  
Do not allow to enter into surface water or drains.

Advices on general occupational hygiene : Keep good industrial hygiene.  
When using do not eat, drink or smoke.  
Wash hands before breaks and immediately after using the product.  
Take off contaminated clothing.

### **7.2. Conditions for safe storage, including any incompatibilities**

Storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Do not store near or with any of the incompatible materials listed in section 10.  
Protect against water. /  
Humidity

Packaging materials : Keep/Store only in original container.


### **7.3. Specific end use(s)**

No data available.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

Exposure limit values :

<p><b>GOLD LEAF AND METALLIC POWDERS</b></p> <p>In The Family Of  NEUBERG NEUBERG PORTERS GROUP INC.</p>	<h1>SAFETY DATA SHEET</h1>	Page : 5 / 11
		Revision nr : 4
	<h2>Aluminium Powder</h2>	Issue date : 09/03/2015
		Supersedes : 09/03/2015



<b>Aluminium powder (stabilised) (7429-90-5)</b>		
Austria	MAK (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable fraction)
Austria	MAK Short time value (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (inhalable fraction)
Belgium	Limit value (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	10,0 mg/m <sup>3</sup> (metal dust) 1,5 mg/m <sup>3</sup> (respirable fraction)
Croatia	GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust) 4 mg/m <sup>3</sup> (respirable dust)
France	VME (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (metal) 5 mg/m <sup>3</sup> (dust)
Greece	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable fraction) 5 mg/m <sup>3</sup> (respirable fraction)
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable fraction)
Latvia	OEL TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
Spain	VLA-ED (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (dust)
Switzerland	VME (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (respirable)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (inhalable dust) 4 mg/m <sup>3</sup> (respirable dust)
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	30 mg/m <sup>3</sup> (calculated-inhalable dust) 12 mg/m <sup>3</sup> (calculated-respirable dust)
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	10,0 mg/m <sup>3</sup> (dust)
Denmark	Grænseværdie (langvarig) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (dust, fume and powder, total) 2 mg/m <sup>3</sup> (dust and powder, respirable)
Hungary	AK-érték	6 mg/m <sup>3</sup> (respirable dust)
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable dust)
Ireland	OEL (15 min ref) (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (calculated-respirable dust)
Lithuania	IPRV (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (inhalable fraction) 2 mg/m <sup>3</sup> (respirable fraction) 1 mg/m <sup>3</sup>
Norway	Gjennomsnittsverdier (AN) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (pyrotechnical-powder)
Norway	Gjennomsnittsverdier (Korttidsverdi) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (pyrotechnical-powder)
Poland	NDS (mg/m <sup>3</sup> )	2,5 mg/m <sup>3</sup> (inhalable fraction) 1,2 mg/m <sup>3</sup> (respirable fraction)
Romania	OEL TWA (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (dust) 1 mg/m <sup>3</sup> (fume)
Romania	OEL STEL (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (powder) 3 mg/m <sup>3</sup> (fume)
Slovakia	NPHV (priemerná) (mg/m <sup>3</sup> )	1,5 mg/m <sup>3</sup> (metal) 6 mg/m <sup>3</sup> (total aerosol)
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (total dust) 2 mg/m <sup>3</sup> (respirable dust)

Recommended monitoring procedures : Concentration measurement in air  
Personal air monitoring

DNEL : 3 mg/m<sup>3</sup>  
PNEC : 46 - 17800 µg/l

### **8.2. Exposure controls**

Personal protection equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific


 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG &amp; NEUBERG MINERALS GROUP INC.</p>	<b>SAFETY DATA SHEET</b>	Page : 6 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

Respiratory protection	: workplace. : dust : Use appropriate respiratory protection. Effective dust mask. (EN 149) Respirator with a particle filter (EN 143) Filter type: P1
Hand protection	: Wear gloves in accordance with EN 388 as a protection against mechanical risks.,Leather gloves,Gloves with long cuffs,The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.
Eye protection	: Dust protection eye glasses (EN 166)
Body protection	: Antistatic boots Flame-retardant protective clothing (EN ISO 11612 / EN 1149)
Thermal hazard protection	: Use dedicated equipment.
Engineering control measures	: Use only in area provided with appropriate exhaust ventilation. Apply measures to prevent dust explosions. Organisational measures to prevent/limit releases, dispersion and exposure See also section 7
Environmental exposure controls	: Do not allow to enter into surface water or drains. Comply with applicable Community environmental protection legislation.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	: Powder
Colour	: silver
Odour	: odourless
Odour threshold:	: No data available
Odour threshold:	: No data available
pH	: Not applicable
Melting point/freezing point	: 660 °C
Initial boiling point and boiling range	: > 999 °C
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Flammable.
Upper/lower flammability or explosive limits	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Density	: 2,7 g/cm <sup>3</sup> @ 20°C
Relative density	: No data available
Water solubility	: Insoluble
Solubility in different media	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity	: No data available

<p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG NEUBERGER GROUP INC.</p>	<b>SAFETY DATA SHEET</b>	Page : 7 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

- Explosive properties : Not applicable  
The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
- Oxidising properties : Not applicable  
The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.

### **9.2. Other information**

- Other information : Dust may form explosive mixture in air.  
Lower explosion limit (g/m<sup>3</sup>) : 30  
Ignition temperature : > 400°C  
Minimum ignition temperature of a 5 mm dust layer (glowing temperature) : > 230°C  
(Apparent) Density : 0,10 - 0,35 g/cm<sup>3</sup> @ 20°C

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

- Reactivity : None under normal processing.  
UN Test N.5: Test method for substances which in contact with water emit flammable gases  
The substance or mixture does not emit flammable gases in contact with water.  
Reference to other sections: 10.5

### **10.2. Chemical stability**

- Stability : The product is stable under storage at normal ambient temperatures.

### **10.3. Possibility of hazardous reactions**

- Possibility of hazardous reactions : Risk of dust explosion.  
The substance or mixture does not emit flammable gases in contact with water.  
(UN Test N.5: Test method for substances which in contact with water emit flammable gases)  
Reference to other sections: 10.4/10.5

### **10.4. Conditions to avoid**

- Conditions to avoid : Remove all sources of ignition.  
See also section 7

### **10.5. Incompatible materials**

- Incompatible materials : Reacts with the following substances:, Acids and bases,, Halogens,, Halogenated compounds,, Oxidising substances

### **10.6. Hazardous decomposition products**



- Hazardous decomposition products : none

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

- Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

<b>Aluminium Powder (7429-90-5)</b>	
LD50/oral/rat	> 2000 mg/kg
LC50/inhalation/4h/rat	> 888 mg/l

 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG INDUSTRIES GROUP INC.</p>	<b>SAFETY DATA SHEET</b>	Page : 8 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met.) pH: Not applicable
Serious eye damage/eye irritation	: Not classified (Based on available data, the classification criteria are not met.) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met.)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met.)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met.)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met.)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met.)

#### Other information

Symptoms related to the physical, chemical and toxicological characteristics, Reference to other sections: 4.2

### SECTION 12: Ecological information

#### 12.1. Toxicity

Toxicity : Ecological injuries are not known or expected under normal use.

#### 12.2. Persistence and degradability

Persistence and degradability : Not applicable

#### 12.3. Bioaccumulative potential

Bioaccumulation : No data available

Partition coefficient n-octanol/water : No data available

#### 12.4. Mobility in soil

Mobility : No data available

#### 12.5. Results of PBT and vPvB assessment

PBT/vPvB data : PBT/vPvB data :  
Not applicable

#### 12.6. Other adverse effects



Other information :

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product waste:	: Do not dispose of together with household waste. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	: Delivery to an approved waste disposal company.
Further ecological information	: Do not allow to enter into surface water or drains.



 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of  NEUBERG &amp; NEUBERG INDUSTRIAL GROUP INC.</p>	<b>SAFETY DATA SHEET</b>	Page : 9 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

List of proposed waste codes/waste designations in accordance with EWC

: Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

The following Waste Codes are only suggestions:  
12 01 04

## SECTION 14: Transport information

### 14.1. UN number

UN number : 1309

### 14.2. UN proper shipping name

Proper Shipping Name : ALUMINIUM POWDER, COATED  
Proper shipping name IATA/IMDG : ALUMINIUM POWDER, COATED

### 14.3. Transport hazard class(es)

#### 14.3.1. Overland transport

ADR/RID : tunnel restriction code : E  
Class(es) : 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives  
Hazard identification number (Kemler No.) : 40  
Classification code : F3  
ADR/RID-Labels : 4.1 - Flammable solid



#### 14.3.2. Inland waterway transport (ADN)

ADN : Not classified for this transport way.  
Class (UN) : 4.1

#### 14.3.3. Transport by sea

Class or Division : 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives

#### 14.3.4. Air transport

Class or Division : 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives

### 14.4. Packing group

Packing group : II

### 14.5. Environmental hazards

Other information : Not applicable.

### 14.6. Special precautions for user

Special precautions for user : Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



Code: IBC : Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006 :

 <p>GOLD LEAF AND METALLIC POWDERS</p> <p>In The Family Of </p>	<b>SAFETY DATA SHEET</b>	Page : 10 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. : Aluminium Powder - Aluminium powder (stabilised)

This product contains an ingredient according to the candidate list of Annex XIV of the REACH Regulation 1907/2006/EC. : none  
 Authorisations : Not applicable

**15.1.2. National regulations**

DE : WGK : nwg  
 DE : German storage class (LGK) : LGK 4.1B - Flammable solids  
 DE : TA-Luft : Total dust  
 DE : Technische Regeln für Gefahrstoffe (TRGS) : applicable  
 FR : Installations classées : 1450  
 NL : ABM : 11 - Weinig schadelijk voor in het water levende organismen (B)  
 NL : NeR (Nederlandse emissie Richtlijn) : Inorganic substances in powdered form

**15.2. Chemical safety assessment**

Chemical Safety Assessment : For this substance a chemical safety assessment has been carried out.


**SECTION 16: Other information**

Full text of R-, H- and EUH-phrases:  
 Flam. Sol. 1 : Flammable solids, Hazard Category 1  
 H228 : Flammable solid.  
 R11 : Highly flammable.  
 F : Highly flammable

Key literature references and sources : European Metal Particulate Association (EMPA) for data

Safety datasheet sections which have : 8 been updated

Abbreviations and acronyms : ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin  
 ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC  
 IATA = International Air Transport Association  
 IMDG = International Maritime Dangerous Goods Code  
 LEL = Lower Explosive Limit/Lower Explosion Limit  
 UEL = Upper Explosion Limit/Upper Explosive Limit  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 TWA = time weighted average  
 STEL = Short term exposure limit  
 PBT = persistent, bioaccumulating and toxic (PBT).  
 vPvB = very persistent and very bioaccumulating  
 EWC = European Waste Catalogue  
 NA = Not applicable  
 LC50 = Median lethal concentration  
 LD50 = Median lethal dose

<p><b>GOLD LEAF AND METALLIC POWDERS</b></p> <p>In The Family Of  <b>NEUBERG &amp; NEUBERG</b> MINERALS GROUP INC.</p>	<b>SAFETY DATA SHEET</b>	Page : 11 / 11
	<b>Aluminium Powder</b>	Revision nr : 4
		Issue date : 09/03/2015
		Supersedes : 09/03/2015

DNEL = Derived No Effect Level  
PNEC = Predicted No Effect Concentration

The contents and format of this SDS are in accordance with EEC Commission Directive 1999/45/EC, 67/548/EC, 1272/2008/EC and EEC Commission Regulation 1907/2006/EC (REACH) Annex II.

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.