



Safety Data Sheet Silver Mica #79

Revision date : 2018/09/06 Page: 1/9
Version: 4.0 (30322500/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Silver Mica #79

Recommended use of the chemical and restriction on use

Recommended use*: pigment

Details of the supplier of the safety data sheet

Distributed by:

Gold Leaf and Metallic Powders 6001 Santa Monica Boulevard Los Angeles, CA 90038 USA Telephone (800) 569-5323

E-mail: info@glandmp.com Website: www.GLandMP.com

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: metal oxides

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Safety Data Sheet Silver Mica #79

Revision date: 2018/09/06 Page: 2/9
Version: 4.0 (30322500/SDS GEN US/EN)

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	<u>Weight %</u>	Chemical name
12001-26-2	>= 50.0 - < 100.0%	Mica-group minerals
13463-67-7	>= 20.0 - < 50.0%	Titanium dioxide
7782-42-5	>= 1.0 - < 5.0%	graphite
18282-10-5	>= 0.1 - < 1.0%	Tin oxide (SnO2)

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek immediate medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: dry powder, foam

Silver Mica #79

Revision date: 2018/09/06 Page: 3/9
Version: 4.0 (30322500/SDS GEN US/EN)

Unsuitable extinguishing media for safety reasons: carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting: No particular hazards known.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

If exposed to fire, keep containers cool by spraying with water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:

No special precautions necessary.

See MSDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: No special precautions necessary. Keep in a cool place. Keep container dry.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

graphite OSHA PEL PEL 15 mg/m3 Total dust ; PEL 5 mg/m3

Respirable fraction;

Safety Data Sheet Silver Mica #79

Revision date : 2018/09/06	Page: 4/9
Version: 4.0	(30322500/SDS GEN US/EN)

ACGIH TLV TWA value 2 mg/m3 Respirable fraction; Mica-group minerals **OSHA PEL** TWA value 3 mg/m3 Respirable dust : TWA value 20 millions of particles per cubic foot of air **ACGIH TLV** TWA value 3 mg/m3 Respirable fraction; Titanium dioxide OSHA PEL PEL 15 mg/m3 Total dust; TWA value 10 mg/m3 Total dust; **ACGIH TLV** TWA value 10 mg/m3;

Tin oxide (SnO2)

ACGIH TLV TWA value 2 mg/m3 (tin (Sn));

Personal protective equipment

Respiratory protection:

Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Form: powder Odour: odourless Odour threshold: not determined Colour: silver colours 7.0 - 11.0pH value:

(4 %(m))

> 1,000 °C The substance / product Melting temperature:

decomposes.

Boiling point: not applicable, solid with a melting

temperature over 300 °C

Flash point: Study does not need to be conducted.

Flammability: not flammable

For solids not relevant for Lower explosion limit:

classification and labelling.

Upper explosion limit: For solids not relevant for

classification and labelling.

Autoignition: Study does not need to be conducted.

Vapour pressure: not applicable

Silver Mica #79

Revision date: 2018/09/06 Page: 5/9
Version: 4.0 (30322500/SDS_GEN_US/EN)

Density: 3.1 g/cm3

(approx. 20 °C)

Relative density: 3.1

(approx. 20 °C)

Bulk density: 176 kg/m3

Vapour density: The product is a non-volatile solid.
Partitioning coefficient n- Study does not need to be conducted.

octanol/water (log Pow):

Self-ignition not self-igniting

temperature:

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: Study does not need to be conducted.

Particle size: No data available.

Solubility in water: insoluble

Evaporation rate: The product is a non-volatile solid.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

not fire-propagating

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Hazardous polymerization will not occur.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust. No special precautions other than good housekeeping of chemicals.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Silver Mica #79

Revision date: 2018/09/06 Page: 6/9
Version: 4.0 (30322500/SDS GEN US/EN)

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from the properties of the individual components.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the

individual components.

Inhalation

Type of value: LC50 not determined

Dermal

Type of value: LD50 not determined

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Skin</u>

Species: rabbit Result: non-irritant

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Eye</u>

Species: rabbit Result: non-irritant

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Sensitization

Assessment of sensitization: The chemical structure does not suggest a sensitizing effect.

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged or repeated exposure may cause pulmonary problems. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity: No data was available concerning mutagenic activity. The chemical structure does not suggest a specific alert for such an effect.

Carcinogenicity

Silver Mica #79

Revision date: 2018/09/06 Page: 7/9
Version: 4.0 (30322500/SDS GEN US/EN)

Information on: Titanium dioxide

Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Medical conditions aggravated by overexposure

Inhalation of dust could aggravate existing respiratory conditions.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates

LC50 (48 h), daphnia not determined

Aquatic plants

EC50 (72 h), algae not determined

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

Microorganisms/Effect on activated sludge

Silver Mica #79

Revision date: 2018/09/06 Page: 8/9
Version: 4.0 (30322500/SDS GEN US/EN)

Toxicity to microorganisms bacteria/EC50 (0.5 h): not determined

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

Additional information

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. This product does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity, or toxicity).

Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

Safety Data Sheet Silver Mica #79

Revision date : 2018/09/06 Page: 9/9
Version: 4.0 (30322500/SDS_GEN_US/EN)

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK	CAS Number	Chemical name
PA	12001-26-2	Mica-group minerals
	13463-67-7	Titanium dioxide
	7782-42-5	graphite
MA	12001-26-2	Mica-group minerals
	7782-42-5	graphite
	13463-67-7	Titanium dioxide
NJ	12001-26-2	Mica-group minerals
	13463-67-7	Titanium dioxide
	7782-42-5	graphite

NFPA Hazard codes:

Health: 1 Fire: 0 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 0 Physical hazard: 0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2018/09/06

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Silver Mica #79 END OF DATA SHEET