GOLDLEAFAND METALLICPOWDERS



Revision date : 2018/10/11 Version: 6.0 Page: 1/9 (30322595/SDS\_GEN\_US/EN)

### 1. Identification

Product identifier used on the label

## Magna Pearl Mica #82

#### Recommended use of the chemical and restriction on use

Recommended use\*: Colorants for industrial use Recommended use\*: colourant(s) Suitable for use in industrial sector: chemical industry

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Distributed by:

Gold Leaf and Metallic Powders 6001 Santa Monica Boulevard Los Angeles, CA 90038 USA Telephone (800) 569-5323 E-mail: info@glandmp.com Website: www.GLandMP.com

### **Emergency telephone number**

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Synonyms: Layer pigments of metal oxides

#### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

### **Classification of the product**

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Revision date : 2018/10/11 Version: 6.0

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

### 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Weight %	Chemical name
12001-26-2	>= 50.0 - < 75.0%	Mica-group minerals
13463-67-7	>= 25.0 - < 50.0%	Titanium dioxide

#### 4. First-Aid Measures

#### Description of first aid measures

**General advice:** Remove contaminated clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek immediate medical attention.

#### If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Seek medical attention if necessary.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

#### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media: dry powder, foam

# Safety Data Sheet

Magna Pearl Mica #82 Revision date : 2018/10/11 Version: 6.0

Unsuitable extinguishing media for safety reasons: carbon dioxide

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting: No particular hazards known.

#### Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

If exposed to fire, keep containers cool by spraying with water.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

#### **Environmental precautions**

Do not empty into drains.

This product is not regulated by RCRA. This product is not regulated by CERCLA ('Superfund').

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of.

Spills should be contained and placed in suitable containers for disposal.

## 7. Handling and Storage

#### Precautions for safe handling

Avoid dust formation. Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion: No special precautions necessary.

See MSDS section 5 - Fire fighting measures. Prevent electrostatic charge accumulation.

#### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep in a cool place. Keep container dry.

## 8. Exposure Controls/Personal Protection

**Components with occupational exposure limits** 

Revision date : 2018/10/11 Version: 6.0		Page: 4/9 (30322595/SDS_GEN_US/EN)
Mica-group minerals	OSHA PEL	TWA value 3 mg/m3 Respirable dust ; TWA value 20 millions of particles per cubic foot of air ;
	ACGIH TLV	TWA value 3 mg/m3 Respirable fraction ;
Titanium dioxide	OSHA PEL	PEL 15 mg/m3 Total dust;TWA value 10 mg/m3 Total dust;
	ACGIH TLV	TWA value 10 mg/m3 ;

#### Personal protective equipment

#### **Respiratory protection:**

Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

#### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Safety glasses with side-shields.

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Due to the colouring properties of the product closed work clothes should be used, to avoid stains during manipulation. Hands and/or face should be washed before breaks and at the end of the shift. Wash soiled clothing immediately.

## 9. Physical and Chemical Properties

Form:	powder	
Odour:	odourless	
Odour threshold:	No applicable information available.	
Colour:	off-white with pearly reflection	
pH value:	7 - 11	(DIN EN ISO 787-9)
	( 40 g/l, 20 °C)	
Melting point:	The substance / product	
0.1	decomposes.	
Boiling point:	not applicable	
Flash point:	not applicable, the product is a solid	
Flammability:	not flammable	
Autoignition:	Study does not need to be conducted.	
Vapour pressure:	not applicable	
Density:	3.2 kg/l	
,	(approx. 20 °C)	
Relative density:	3.2	
Bulk density:	140 kg/m3	
Vapour density:	The product is a non-volatile solid.	
Partitioning coefficient n-	Study scientifically not justified.	
octanol/water (log Pow):		
	Study scientifically not justified.	
Self-ignition	not self-igniting	
temperature:	5 5	
Thermal decomposition:	No decomposition if stored and handled	as
	prescribed/indicated.	
Viscosity, dynamic:	Study does not need to be conducted.	
Particle size:	No data available.	

 Revision date : 2018/10/11
 Page: 5/9

 Version: 6.0
 (30322595/SDS\_GEN\_US/EN)

 Solubility in water:
 insoluble

 Evaporation rate:
 The product is a non-volatile solid.

 Other Information:
 If necessary, information on other physical and chemical parameters is indicated in this section.

## **10. Stability and Reactivity**

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Oxidizing properties: not fire-propagating

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. The product is chemically stable. Hazardous polymerization will not occur.

#### **Conditions to avoid**

Avoid dust formation. Avoid deposition of dust. No special precautions other than good housekeeping of chemicals.

#### Incompatible materials

No substances known that should be avoided.

#### Hazardous decomposition products

Decomposition products: Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

## 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from the properties of the individual components.

Revision date : 2018/10/11

Version: 6.0

Page: 6/9 (30322595/SDS GEN US/EN)

Type of value: LD50 Species: rat Value: > 2,000 mg/kg The product has not been tested. The statement has been derived from the properties of the individual components.

Inhalation Type of value: LC50 not determined

Dermal Type of value: LD50 not determined

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

#### <u>Skin</u>

Species: rabbit Result: non-irritant The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### <u>Eye</u>

Species: rabbit Result: non-irritant The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### **Sensitization**

Assessment of sensitization: The chemical structure does not suggest a sensitizing effect.

Guinea pig maximization test Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406 The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Aspiration Hazard</u> No aspiration hazard expected.

## **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Prolonged and repeated exposure of dust may cause lung damage.

<u>Genetic toxicity</u> Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

#### Carcinogenicity

Assessment of carcinogenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Information on: Titanium dioxide

## Revision date : 2018/10/11

Version: 6.0

#### Page: 7/9 (30322595/SDS GEN US/EN)

Assessment of carcinogenicity: IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans). In long-term studies in rats in which the substance was given by inhalation, a carcinogenic effect was observed. Tumors were only observed in rats after chronic inhalative exposure to high concentrations which caused sustained lung inflammation. In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. Dermal exposure is not expected to be carcinogenic.

-----

#### Reproductive toxicity

Assessment of reproduction toxicity: No reliable data are available concerning reproduction toxicity.

#### **Teratogenicity**

Assessment of teratogenicity: No reliable data was available concerning teratogenicity.

#### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. The product has been assessed on the basis of the components' available data. To some extent data gaps exist for individual components. According to our present knowledge and experience dangers which are not covered by the current labeling are not to be expected.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

<u>Medical conditions aggravated by overexposure</u> Contact may aggravate pulmonary disorders.

## **12. Ecological Information**

## Toxicity

Aquatic toxicity Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

<u>Toxicity to fish</u> LC50 (96 h) > 100 mg/l, Fish The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates LC50 (48 h), daphnia not determined

Aquatic plants EC50 (72 h), algae not determined

Chronic toxicity to fish No data available.

Revision date : 2018/10/11 Version: 6.0

<u>Chronic toxicity to aquatic invertebrates</u> No data available.

### Microorganisms/Effect on activated sludge

Toxicity to microorganisms bacteria/EC50 (0.5 h): not determined

### Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> The colourant is insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plant

#### Elimination information

Not readily biodegradable (by OECD criteria).

#### **Bioaccumulative potential**

#### Assessment bioaccumulation potential

The product will not be readily bioavailable due to its consistency and insolubility in water. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Mobility in soil

<u>Assessment transport between environmental compartments</u> The substance will not evaporate into the atmosphere from the water surface.

#### **Additional information**

Other ecotoxicological advice:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

## 13. Disposal considerations

#### Waste disposal of substance:

Must be disposed of or incinerated in accordance with local regulations.

Dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. This product does not possess any of the four identifying characteristics of hazardous waste (ignitability, corrosivity, reactivity, or toxicity).

#### Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

#### **14. Transport Information**

Land transport USDOT

Revision date : 2018/10/11 Version: 6.0	Page: 9/9 (30322595/SDS_GEN_US/EN)
	Not classified as a dangerous good under transport regulations
<b>Sea transport</b> IMDG	
	Not classified as a dangerous good under transport regulations
<b>Air transport</b> IATA/ICAO	
	Not classified as a dangerous good under transport regulations

## Federal Regulations

## Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### State regulations

State RTK	<u>C</u> /	AS Number	Chemical name		
PA	12	001-26-2	Mica-group minerals		
	13	463-67-7	Titanium dioxide		
MA	12	001-26-2	Mica-group minerals		
	13	463-67-7	Titanium dioxide		
NJ	12	001-26-2	Mica-group minerals		
	13	463-67-7	Titanium dioxide		
NFPA Hazard codes:					
Health: 1 Fi	re: 0	Reactivity: 0	Special:		

### **16. Other Information**

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2018/10/11

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.